# Certificate of Analysis

**Product**: dA<sup>bz</sup> Phosphoramidite, (2.0g)

5'-dimethoxytrityl-(deoxyadenosine-N6 benzoyl)-3'-cyanoethyl diisopropyl phosphoramidite

 Part No.
 : 401159

 Lot No.
 : QJ0262

 Chemical Formula
 : C<sub>47</sub>H<sub>52</sub>N<sub>7</sub>O<sub>7</sub>P

 Molecular Weight
 : 857.7

CAS # : 98796-53-3 Release Date : 01 Sep 2015

**Appearance** 

Specification: The product should be a white to pale yellow amorphous powder free of foreign particulate material.

Result: Pass

<u>Identity</u>

Specification: Identity of each phosphoramidite lot is confirmed by reverse-phase HPLC against a control lot.

Result: dAbz Phosphoramidite

5'-dimethoxytrityl-(deoxyadenosine-N6 benzoyl)-3'-cyanoethyl diisopropyl phosphoramidite

#### **HPLC Analysis**

Each phosphoramidite lot is analyzed by reverse phase HPLC. Purity is the phosphoramidite peak area reported as a percent of the total area of the chromatogram.

Specification: >98.0% purity

Result: 100%

# <sup>31</sup>P-NMR Analysis

Each bulk phosphoramidite lot is analyzed by phosphorous NMR. Purity is reported as a percent based on integrated peak areas.

Specification: >98.0% purity

Result: 100%

#### Solution Clarity

Each bulk phosphoramidite lot is dissolved in anhydrous acetonitrile (0.1 M) and visually inspected.

Specification: A clear liquid free of particulate precipitates

Result: Pass

### **Water Content**

Each bulk phosphoramidite lot is analyzed for moisture content using the Karl Fischer method.

Specification: <0.40% moisture content

Result: 0.10%

## Coupling Efficiency

The coupling efficiency is based on the synthesis of a proprietary sequence at the 0.2  $\mu$ mol scale.

Specification: ≥98.0% standard average coupling efficiency Result: 98.7% standard average coupling efficiency

Approved by:

Quality Assurance Manager



Notice: For Research Use Only. Not for use in diagnostic procedures.