

Version
Molecular weight
Quality Test / Release Date
Molecular Formula
CAS No
Linear Formula
Flash Point (°C)

00 106.59 08/12/2021 C5 H11 CI 543-59-9 CH3(CH2)4CI

Certificate of Analysis

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Catalog Number	21857	Quality Test / Release Date	08/12/2021
Lot Number	A0432907	Suggested retest date	08/12/2023
Description	1-Chloropentane,98%		
Country of Origin	CHINA		
Declaration of Origin	synthetic		

BSE/TSE	
Chemical	

Result name	Specifications	Test Value
Appearance (Color)	Clear colorless	Clear colorless
Appearance (Form)	Liquid	Liquid
Infrared spectrum	Conforms	Conforms
GC	>=97.5 %	99.3 %
Refractive index	1.4105 to 1.4145 (20°C, 589 nm)	1.4125 (20°C, 589 nm)



C. Wygaerts, QA Manager

Acros Organics

ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet:http://www.acros.com 1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329

Issued: 08-13-2021